

Table Percent of grain received at harvest and millions of bushels stored by time of harvest and types of grain for 24 elevators.

% at Harvest	Fall Total	Summer Total	Total	No. grains	Types ¹
30		15	15	1	b
10		10	10	1	b
20		1.5	1.5	1	b
20	2.5		2.5	1	b
60	5		5	2	cs
50	4		4	2	cs
30 to 35	9		9	2	cs
50		5.5	5.5	1	o
50		30	30	1	o
50	2.25	0.02	2.27	3	ocs
70	7.5	0.1	7.6	3	ocs
70	2.2	0.075	2.275	3	ocs
75	1.7	0.075	1.775	3	ocs
	103	6	109	7	owbCScs
	6	0.13	6.13	4	owcs
25	0.8	0.25	1.05	4	wbcs
50	0.7	1.55	2.55	4	wbcs
60	0.4	0.55	0.95	4	wbcs
50	12	42	54	5	wbCSs
50	10	42	52	5	wbCSs
90	2.5	0.5	3	3	wcs
	4.5	0.15	4.65	3	wcs
50	1.35	0.075	1.425	3	wcs
25	2.4	2	4.4	4	wScs
Total	177.8	157.475	335.575		

1. Grains included oats (o), wheat (w), barley (b) harvested in the Summer and canola (C), sunflower (S), corn (c) and soybeans (s) harvested in the Fall.